

Data Science in Spark with *sparklyr* : : CHEAT SHEET



Connect

DATABRICKS CONNECT

1. Open your .Renviron file: `usethis::edit_r_environ()`
2. In the .Renviron file add your Databricks Host Url and Token (PAT):
 - o `DATABRICKS_HOST = [Your Host URL]`
 - o `DATABRICKS_TOKEN = [Your PAT]`
3. Install extension: `install.packages("pysparklyr")`
4. Open connection:


```
sc <- spark_connect(
  cluster_id = "[Your cluster's ID]",
  method = "databricks_connect"
)
```

= Supported in Databricks Connect v2

STANDALONE CLUSTER

1. Install RStudio Server on one of the existing nodes or a server in the same LAN
2. Open a connection


```
spark_connect(master="spark://host:port",
  version = "3.2",
  spark_home = [path to Spark])
```

YARN CLIENT

1. Install RStudio Server on an edge node
2. Locate path to the cluster's Spark Home Directory, it normally is `"/usr/lib/spark"`
3. Basic configuration example


```
conf <- spark_config()
conf$spark.executor.memory <- "300M"
conf$spark.executor.cores <- 2
conf$spark.executor.instances <- 3
conf$spark.dynamicAllocation.enabled <- "false"
```
4. Open a connection


```
sc <- spark_connect(master = "yarn",
  spark_home = "/usr/lib/spark/",
  version = "2.1.0", config = conf)
```

YARN CLUSTER

1. Make sure to have copies of the `yarn-site.xml` and `hive-site.xml` files in the RStudio Server
2. Point environment variables to the correct paths


```
Sys.setenv(JAVA_HOME="[Path]")
Sys.setenv(SPARK_HOME="[Path]")
Sys.setenv(YARN_CONF_DIR="[Path]")
```
3. Open a connection


```
sc <- spark_connect(master = "yarn-cluster")
```

KUBERNETES

1. Use the following to obtain the Host and Port


```
system2("kubect1", "cluster-info")
```
2. Open a connection


```
sc <- spark_connect(config =
  spark_config_kubernetes(
    "k8s://https://[HOST]>:[PORT]",
    account = "default",
    image = "docker.io/owner/repo:version"
  ))
```

LOCAL MODE

No cluster required. [Use for learning purposes only](#)

1. Install a local version of Spark: `spark_install()`
2. Open a connection


```
sc <- spark_connect(master="local")
```

CLOUD

Azure - `spark_connect(method = "synapse")`
Qubole - `spark_connect(method = "qubole")`

Import



READ A FILE INTO SPARK

Arguments that apply to all functions:
`sc, name, path, options=list(), repartition=0, memory=TRUE, overwrite=TRUE`

CSV	<code>spark_read_csv(header = TRUE, columns=NULL, infer_schema=TRUE, delimiter = ",", quote = "\"", escape = "\\", charset = "UTF-8", null_value = NULL)</code>
JSON	<code>spark_read_json()</code>
PARQUET	<code>spark_read_parquet()</code>
TEXT	<code>spark_read_text()</code>
DELTA	<code>spark_read_delta()</code>

FROM A TABLE

`dplyr::tbl(scr, ...)` - Creates a reference to the table without loading its data into memory
`dbplyr::in_catalog()` - Enables a three part table address
`x <- tbl(sc, in_catalog("catalog", "schema", "table"))`

Import

- From R (`copy_to()`)
- Read a file (`spark_read_*`)
- Read Hive table (`tbl()`)

Wrangle

- `dplyr` verb
- `tidyr` commands
- Feature transformer (`ft_*`)
- Direct Spark SQL (`DBI`)

Visualize

- Collect result, plot in R

Model

- Spark MLlib (`m1_*`)
- H2O Extension

Communicate

Collect results into R share using **RMarkdown**

[R for Data Science, Golemund & Wickham](#)

R DATA FRAME INTO SPARK

`dplyr::copy_to(dest, df, name)`

Apache Arrow accelerates data transfer between R and Spark. To use, simply load the library

```
library(sparklyr)
library(arrow)
```

Wrangle

DPLYR VERBS

Translates into Spark SQL statements
`copy_to(sc, mtcars) %>%`
`mutate(trm = ifelse(am == 0, "auto", "man")) %>%`
`group_by(trm) %>%`
`summarise_all(mean)`

TIDYR

- `pivot_longer()` - Collapse several columns into two.
- `pivot_wider()` - Expand two columns into several.
- `nest() / unnest()` - Convert groups of cells into list-columns, and vice versa.
- `unite() / separate()` - Split a single column into several columns, and vice versa.
- `fill()` - Fill NA with the previous value

FEATURE TRANSFORMERS


- `ft_binarizer()` - Assigned values based on threshold
- `ft_bucketizer()` - Numeric column to discretized column
- `ft_count_vectorizer()` - Extracts a vocabulary from document
- `ft_discrete_cosine_transform()` - 1D discrete cosine transform of a real vector
- `ft_elementwise_product()` - Element-wise product between 2 cols
- `ft_hashing_tf()` - Maps a sequence of terms to their term frequencies using the hashing trick.
- `ft_idf()` - Compute the Inverse Document Frequency (IDF) given a collection of documents.
- `ft_imputer()` - Imputation estimator for completing missing values, uses the mean or the median of the columns.
- `ft_index_to_string()` - Index labels back to label as strings
- `ft_interaction()` - Takes in Double and Vector columns and outputs a flattened vector of their feature interactions.
- `ft_max_abs_scaler()` - Rescale each feature individually to range [-1, 1]

Data Science in Spark with *sparklyr* : : CHEAT SHEET



-  **ft_min_max_scaler()** - Rescale each feature to a common range [min, max] linearly
-  **ft_ngram()** - Converts the input array of strings into an array of n-grams
-  **ft_bucketed_random_projection_lsh()**
ft_minhash_lsh() - Locality Sensitive Hashing functions for Euclidean distance and Jaccard distance (MinHash)
-  **ft_normalizer()** - Normalize a vector to have unit norm using the given p-norm
-  **ft_one_hot_encoder()** - Continuous to binary vectors
-  **ft_pca()** - Project vectors to a lower dimensional space of top k principal components.
-  **ft_quantile_discretizer()** - Continuous to binned categorical values.
-  **ft_regex_tokenizer()** - Extracts tokens either by using the provided regex pattern to split the text.
-  **ft_robust_scaler()** - Removes the median and scales according to standard scale.
-  **ft_standard_scaler()** - Removes the mean and scaling to unit variance using column summary statistics
-  **ft_stop_words_remover()** - Filters out stop words from input
-  **ft_string_indexer()** - Column of labels into a column of label indices.
-  **ft_tokenizer()** - Converts to lowercase and then splits it by white spaces
-  **ft_vector_assembler()** - Combine vectors into single row-vector
-  **ft_vector_indexer()** - Indexing categorical feature columns in a dataset of Vector
-  **ft_vector_slicer()** - Takes a feature vector and outputs a new feature vector with a subarray of the original features
-  **ft_word2vec()** - Word2Vec transforms a word into a code

Visualize



Modeling

REGRESSION

- ml_linear_regression()** - Linear regression.
- ml_aft_survival_regression()** - Parametric survival regression model named accelerated failure time (AFT) model
- ml_generalized_linear_regression()** - GLM
- ml_isotonic_regression()** - Uses parallelized pool adjacent violators algorithm.
- ml_random_forest_regressor()** - Regression using random forests.

CLASSIFICATION

- ml_linear_svc()** - Classification using linear support vector machines
- ml_logistic_regression()** - Logistic regression
- ml_multilayer_perceptron_classifier()** - Based on the Multilayer Perceptron.
- ml_naive_bayes()** - It supports Multinomial NB which can handle finitely supported discrete data
- ml_one_vs_rest()** - Reduction of Multiclass, performs reduction using one against all strategy.

TREE

- ml_decision_tree_classifier()** | **ml_decision_tree()** | **ml_decision_tree_regressor()** - Classification and regression using decision trees
- ml_gbt_classifier()** | **ml_gradient_boosted_trees()** | **ml_gbt_regressor()** - Binary classification and regression using gradient boosted trees
- ml_random_forest_classifier()** - Classification and regression using random forests.

- ml_feature_importances()** | **ml_tree_feature_importance()** - Feature Importance for Tree Models

CLUSTERING

- ml_bisecting_kmeans()** - A bisecting k-means algorithm based on the paper
- ml_lda()** | **ml_describe_topics()** | **ml_log_likelihood()** | **ml_log_perplexity()** | **ml_topics_matrix()** - LDA topic model designed for text documents.
- ml_gaussian_mixture()** - Expectation maximization for multivariate Gaussian Mixture Models (GMMs)
- ml_kmeans()** | **ml_compute_cost()** | **ml_compute_silhouette_measure()** - Clustering with support for k-means
- ml_power_iteration()** - For clustering vertices of a graph given pairwise similarities as edge properties.

RECOMMENDATION

- ml_als()** | **ml_recommend()** - Recommendation using Alternating Least Squares matrix factorization

EVALUATION

- ml_clustering_evaluator()** - Evaluator for clustering
- ml_evaluate()** - Compute performance metrics
- ml_binary_classification_evaluator()** | **ml_binary_classification_eval()** | **ml_classification_eval()** - A set of functions to calculate performance metrics for prediction models.

FREQUENT PATTERN

- ml_fpgrowth()** | **ml_association_rules()** | **ml_freq_itemsets()** - A parallel FP-growth algorithm to mine frequent itemsets.
- ml_freq_seq_patterns()** | **ml_prefixspan()** - PrefixSpan algorithm for mining frequent itemsets.

STATS

- ml_summary()** - Extracts a metric from the summary object of a Spark ML model
- ml_corr()** - Compute correlation matrix

RECOMMENDATION

- ml_als()** | **ml_recommend()** - Recommendation using Alternating Least Squares matrix factorization

FEATURE

- ml_chisquare_test(x, features, label)** - Pearson's independence test for every feature against the label
- ml_default_stop_words()** - Loads the default stop words for the given language

UTILITIES

- ml_call_constructor()** - Identifies the associated sparklyr ML constructor for the JVM
- ml_model_data()** - Extracts data associated with a Spark ML model
- ml_standardize_formula()** - Generates a formula string from user inputs, to be used in `ml_model` constructor
- ml_uid()** - Extracts the UID of an ML object.

ML Pipelines


Easily create a formal Spark Pipeline models using R. Save the Pipeline in native Sacala. It will have **no dependencies on R**.

INITIALIZE AND TRAIN

- ml_pipeline()** - Initializes a new Spark Pipeline
- ml_fit()** - Trains the model, outputs a Spark Pipeline Model.


SAVE AND RETRIEVE

- ml_save()** - Saves into a format that can be read by Scala and PySpark .
- ml_read()** - Reads Spark object into sparklyr.



spark.rstudio.com/guides/pipelines

More Info



spark.rstudio.com therinspark.com

